# List of Contents

## NUMBER 1


| | | |
|---|---|---|
| **Wang Yi, Mu Yingkui,** and **Ding Peizhu** | 1 | A linear spline approximation for radiative transfer problems in slab medium |
| **R. Vaillon, M. Lallemand,** and **D. Lemonnier** | 7 | Radiative heat transfer in orthogonal curvilinear coordinates using the discrete ordinates method |
| **E. P. Zege** and **L. I. Chaikovskaya** | 19 | New approach to the polarized radiative transfer problem |
| **C. Tezcan** | 33 | Third form of the transport equation for extremely anisotropic scattering kernel |
| **A. Kaşkaş** and **C. Tezcan** | 41 | The $F_N$ method for anisotropic scattering in neutron transport theory: the half-space problems |
| **D. C. Galant** and **D. Goorvitch** | 47 | Accurate evaluation of quantum integrals |
| **K. Yoshino, J. R. Esmond, Y. Sun, W. H. Parkinson, K. Ito,** and **T. Matsui** | 53 | Absorption cross section measurements of carbon dioxide in the wavelength region 118.7–175.5 nm and the temperature dependence |
| **I. M. Grigoriev, N. N. Filippov, A. V. Rozanov,** and **M. V. Tonkov** | 61 | Line shapes in the rotational spectra of HF in Ar gas: new experimental data and calculations of line interference |
| **G. N. Robertson, K. Kohse-Höinghaus, S. Le Boiteux, F. Aguerre,** and **B. Attal-Trétout** | 71 | Observation of strong field effects and rotational line coupling in DFWM processes resonant with $^2\Sigma$–$^2\Pi$ electronic system |
| **P. Dubuisson, J. C. Buriez,** and **Y. Fouquart** | 103 | High spectral resolution solar radiative transfer in absorbing and scattering media: application to the satellite simulation |
| **I. A. Vasilieva** | 127 | Radiative equilibrium in cavity and emission of thermal scattering radiators |
| **A. A. Mihajlov, Z. Djurić,** and **M. S. Dimitrijević** | 141 | The influence of He–$He^+$–e and $He_2^+$–e recombination and He–$He^*(n)$ ionization on the population of $He^*(n)$ atoms in helium plasma |
| *Note* | | |
| **P. S. Antsiferov** | 149 | Linewidth measurement under poor spectral resolution |

## NUMBER 2


| | | |
|---|---|---|
| **A. Alonso Medina** | 151 | Transition probabilities for several u.v. lines of Pb II |
| **H. Skenderović** and **V. Vujnović** | 155 | A study of the line broadening constants obtained in a high-pressure mercury discharge |
| **C. J. B. Pagan, M. Raineri, F. Bredice, J. G. Reyna Almandos, M. Gallardo, S.-G. Pettersson, G. H. Cavalcanti,** and **A. G. Trigueiros** | 163 | Weighted oscillator strengths for Kr VI spectrum |
| **J. C. Molino Garcia, W. Bötticher,** and **M. Kock** | 169 | Oscillator strengths of Kr I and Xe I resonance lines |
| **Shunlin Liang** and **Philip Lewis** | 181 | A parametric radiative transfer model for sky radiance distribution |
| **M. Cattani** | 191 | Racemization produced by elastic and inelastic molecular collisions in dilute gases |
| **Kwo-Sen Kuo, R. C. Weger, R. M. Welch,** and **S. K. Cox** | 195 | The Picard iterative approximation to the solution of the integral equation of radiative transfer—Part II. Three-dimensional geometry |
| **E. Biémont, F. Fryczynski, P. Palmeri, P. Quinet,** and **C. J. Zeippen** | 215 | Radiative lifetimes for states in Cu I |
| **M. Korek** and **H. Kobeissi** | 225 | Relative intensities in the diatomic vibration–rotation Raman spectra: a simple expression for fundamental and higher overtones |
| **M. J. Buie, J. T. P. Pender, J. P. Holloway, T. Vincent, P. L. G. Ventzek,** and **M. L. Brake** | 231 | Abel's inversion applied to experimental spectroscopic data with off axis peaks |
| **Y. Sun** and **A. Dalgarno** | 245 | Infrared emission spectra of nitric oxide following the radiative association of nitrogen atoms and oxygen atoms |
| **C. Tezcan, M. Ç. Güleçyüz,** and **F. Erdoğan** | 251 | A new approach of solving the third form of the transport equation in plane geometry: half-space albedo-problem |
| **S. A. Babin, S. I. Kablukov, S. V. Khorev,** and **D. A. Shapiro** | 259 | Lasing on a weak intercombination transition ($4p^4S_{3/2} \rightarrow 4s^2P_{3/2}$) in ArII |
| **Fernando Moreno** and **Antonio Molina** | 267 | Correlated-$k$ coefficients for modelling the ammonia absorption at 2 $\mu$m in the Jovian planets |
| **Svante Höjer, Randy D. May,** and **Charles E. Miller** | 273 | Intensities of the 1397 $cm^{-1}$ ($\nu_3$) band of $HO_2NO_2$ and feasibility of atmospheric detection |

## NUMBER 3


| | | |
|---|---|---|
| **D. H. Sampson** and **H. L. Zhang** | 279 | Approximate formulae for electron impact excitation of ions to highly excited levels |
| **K. Park, L. R. Zink, K. M. Evenson, K. V. Chance,** and **I. G. Nolt** | 285 | Pressure broadening of the 83.869 $cm^{-1}$ rotational lines of OH by $N_2$, $O_2$, $H_2$, and He |
| **Gh. Blanquet, J. Walrand, J.-M. Hartmann,** and **J.-P. Bouanich** | 289 | Simple modelling of $Q$-branch absorption—III. Pressure, temperature, and perturber dependences in the $2\nu_6$ $Q$-branch of $^{12}CH^{35}ClF_2$ (HCFC-22) |
| **N. N. Filippov, J.-P. Bouanich, J.-M. Hartmann, L. Ozanne, C. Boulet, M. V. Tonkov, F. Thibault,** and **R. Le Doucen** | 307 | Line-mixing effects in the $3\nu_3$ band of $CO_2$ perturbed by Ar |
| **M. V. Tonkov, J. Boissoles, R. Le Doucen, B. Khalil,** and **F. Thibault** | 321 | $Q$-branch shapes of $CO_2$ spectrum in 15 $\mu$m region: experiment |
| **T.-J. Whang, Guoxing Zhao, William C. Stwalley,** and **C. Y. Robert Wu** | 335 | Franck–Condon factors of the $b'\ ^1\Sigma_u^+ - X\ ^1\Sigma_g^+$, $c_3\ ^1\Pi_u - X\ ^1\Sigma_g^+$, $c_4'\ ^1\Sigma_u^+ - X\ ^1\Sigma_g^+$, $c_4'\ ^1\Sigma_u^+ - a\ ^1\Pi_g$, and $o_3\ ^1\Pi_u - X\ ^1\Sigma_g^+$ transitions of $N_2$ |
| **Marc R. Nyden, Pumyos Vallikul,** and **Y. R. Sivathanu** | 345 | Tomographic reconstruction of the moments of local probability density functions in turbulent flow fields |
| **T. L. Farias, Ü. Ö. Köylü,** and **M. G. Carvalho** | 357 | Effects of polydispersity of aggregates and primary particles on radiative properties of simulated soot |
| **D. Newnham, J. Ballard,** and **M. Page** | 373 | Infrared band strengths of HFC-134a vapour |
| **Enrique J. Iglesias** and **Hans R. Griem** | 383 | Transparency window effect in the Inglis–Teller region of the BV Lyman series |
| **Changsik Kim, Noam Lior,** and **Kunito Okuyama** | 391 | Simple mathematical expressions for spectral extinction and scattering properties of small size-parameter particles, including examples for soot and $TiO_2$ |


## NUMBER 4


| | | |
|---|---|---|
| **J. Z. Klose, J. R. Fuhr,** and **W. L. Wiese** | 413 | Atomic branching ratio data for nitrogen-like species |
| **K. R. Karim, R. Ruesink,** and **C. P. Bhalla** | 431 | Dielectronic satellite spectra of hydrogenlike Ca, Ti, and Cr |
| **D. Benredjem, A. Calisti, A. Sureau,** and **B. Talin** | 439 | Effective gain and Stark profile calculations in the recombination scheme X-ray lasers |
| **A. Barbe** and **J. J. Plateaux** | 449 | Analysis of the $2\nu_1 + 2\nu_3$ band of ozone: line positions and intensities |

| | | |
|---|---|---|
| **Akira Matsumoto** and **Kenichi Iwamoto** | 457 | Dipole matrix elements for vibrational rotation transitions of Morse molecules |
| **Graciela Bertuccelli** and **H. O. Di Rocco** | 463 | The measurements of transition probabilities using pulsed capillary discharges |
| **Hitoshi Odashima** and **Tadao Shimizu** | 473 | Scaling law in molecular collisions due to higher order interactions |
| **K. W. Holtzclaw, W. T. Rawlins,** and **B. D. Green** | 481 | The effects of centrifugal distortion on the infrared radiative transition probabilities of NO($X^2\Pi$) |
| **M. T. Vilhena** and **C. F. Segatto** | 493 | A new iterative method to solve the radiative transfer equation |
| **P. Krstić** and **Y. Hahn** | 499 | Modified atomic transition rates by plasma ion fields |
| **C. W. Lui, M. Clarkson,** and **R. W. Nicholls** | 519 | An approximation for spectral extinction of atmospheric aerosols |
| *Corrigendum* | 533 | |


**NUMBER 5**

*SPECIAL ISSUE*

## LIGHT SCATTERING BY NON-SPHERICAL PARTICLES


| | | |
|---|---|---|
| **J. W. Hovenier** | v | Preface |
| **Michael I. Mishchenko, Larry D. Travis,** and **Daniel W. Mackowski** | 535 | *T*-matrix computations of light scattering by non-spherical particles: a review |
| **K. Muinonen, T. Nousiainen, P. Fast, K. Lumme,** and **J. I. Peltoniemi** | 577 | Light scattering by Gaussian random particles: ray optics approximation |
| **K. Muinonen** | 603 | Light scattering by Gaussian random particles: Rayleigh and Rayleigh–Gans approximations |
| **Tom Rother** and **Karsten Schmidt** | 615 | The Discretized Mie-Formalism for plane wave scattering on dielectric objects with non-separable geometries |
| **Nikolai V. Voshchinnikov** | 627 | Electromagnetic scattering by homogeneous and coated spheroids: calculations using the separation of variables method |
| **Jouni I. Peltoniemi** | 637 | Variational volume integral equation method for electromagnetic scattering by irregular grains |
| **J. W. Hovenier** and **C. V. M. van der Mee** | 649 | Testing scattering matrices: a compendium of recipes |

| | | |
|---|---|---|
| **Bo Å. S. Gustafson** | 663 | Microwave analog to light scattering measurements: a modern implementation of a proven method to achieve precise control |
| **C. Sasse, K. Muinonen, J. Piironen,** and **G. Dröse** | 673 | Albedo measurements on single particles |
| **Michael I. Mishchenko** and **Daniel W. Mackowski** | 683 | Electromagnetic scattering by randomly oriented bispheres: comparison of theory and experiment and benchmark calculations |


## NUMBER 6


| | | |
|---|---|---|
| **J. W. Hovenier, K. Lumme, M. I. Mishchenko, N. V. Voshchinnikov, D. W. Mackowski,** and **J. Rahola** | 695 | Computations of scattering matrices of four types of non-spherical particles using diverse methods |
| **S. J. Rose** | 707 | Compton scattering in inertial confinement fusion plasmas |
| **J. Bergeat** and **B. Rutily** | 715 | Auxiliary functions for radiative transfer problems in plane-parallel geometry—I. The infinite medium |
| **B. Yaakobi, R. S. Craxton R. Epstein,** and **Q. Su** | 731 | Diagnosis of core-shell mixing using absorption and emission spectra of a doped layer |
| **G. Baldacchini, G. Buffa, F. Pelagalli, F. D'Amato,** and **O. Tarrini** | 741 | Variations in the sign of the pressure-induced lineshifts in the $v_2$ band of ammonia with temperature |
| **G. Baldacchini, F. D'Amato, M. De Rosa, G. Buffa,** and **O. Tarrini** | 745 | Temperature dependence of self-shift of ammonia transitions in the $v_2$ band |
| **D. F. Davidson, M. Roehrig, E. L. Petersen, M. D. Di Rosa,** and **R. K. Hanson** | 755 | Measurement of the OH $A$–$X$ (0,0) 306 nm absorption bandhead at 60 atm and 1735 K |
| **R. S. Freckleton, S. Pinnock,** and **K. P. Shine** | 763 | Radiative forcing of halocarbons: a comparison of line-by-line and narrow-band models using $CF_4$ as an example |
| **G. C. Pomraning** | 771 | The planar symmetry beam problem in stochastic media |
| **V. N. Tsytovich, R. Bingham, U. de Angelis,** and **A. Forlani** | 787 | Broadening of the Raman resonance in photon scattering in plasmas |
| **V. N. Tsytovich, R. Bingham, U. de Angelis,** and **A. Forlani** | 797 | Relativistic corrections to collective photon scattering in plasmas |

| | | |
|---|---|---|
| **V. N. Tsytovich, R. Bingham, U. de Angelis, and A. Forlani** | 809 | Stimulated scattering and frequency diffusion of photons in plasmas |
| **L. Y. Chan, A. N. Mostovych, and K. J. Kearney** | 815 | Stark broadening measurements of Al(III) doublet lines in dense and optically-thin laser plasmas |
| **Jack S. Margolis** | 823 | Hydrogen and helium broadening and pressure induced line shifts of $^{13}CH_4$ in the $\nu_4$ band |
| **Bruce Hapke** | 837 | Are planetary regolith particles back scattering? Response to a paper by M. Mishchenko |
| *Note* | | |
| **P. C. Stancil** | 849 | Partition functions and equilibrium constants for LiH and $LiH^+$ |